

REPORT OF ANALYSIS No. 372973/20/JSHR

Client CASA LEBADA SOSEAU BUCIUM 23 700280 IASI		Sample description (according to declaration of Client) DEZINFECTANT GEL MAINI Lot: 3 Production date: IUL. 2020 Expiration date: - Sampling date: 02.07.2020 Sampling quantity: 2 x 500 g Sample temperature: 20°C Reception hour: 10:00 Responsible for sampling: CIACA EIMILIAN RADU	
Sample received:	2020-07-31	Sample condition with no objections	
Analysis completed:	2020-09-09	Order of 2020-07-30	
Report dated:	2020-09-09	The samples were delivered by Client	

Test	Method	Unit	Result
* Chemical disinfectants and antiseptics - Hygienic handrub - Test method and requirements (phase 2, step 2) ¹⁾	PN-EN 1500:2013		The preparation has bactericidal effect against transient microorganisms used in the hygienic procedure of hand disinfection - a single rubbing of 3ml of the preparation for 60 seconds.

¹⁾ The results of the analysis in attachment No 1 to the report of analysis.

THE END OF THE REPORT

Authorized by: Daria Depa, Analyst Specialist, Cosmetics Microbiology Laboratory
Approved by: Hanna Wachowska, Laboratory Director (*Approved with electronic signature*)

Laboratory: Tychy 43-100, Goździków 1

The results relate to the analysed samples only. Unless otherwise specified given expanded measurement uncertainty was estimated for the coverage factor $k=2$ at 95% confidence level. Sampling uncertainty has not been taken into consideration. Unless otherwise specified when conformity is stated J.S. Hamilton Poland Sp. z o.o. applies the simple acceptance decision rule in accordance with ILAC-G8:09/2019. This Report cannot be reproduced partially without a prior written consent of J.S. Hamilton Poland Sp. z o.o. Responsibility of J.S. Hamilton Poland Sp. z o.o. is restricted exclusively to the results and statements presented in original copy of the Report. The service confirmed by this Report is subject to the General Terms and Conditions of Services of J.S. Hamilton Poland Sp. z o.o. published on www.hamilton.com.pl

* Test method accredited; # Test performed by external provider

Page 1 / 1

Form PO-10/02a of 20.01.2020

J.S. HAMILTON POLAND Sp. z o.o.
TESTING LABORATORY

ul. Chwaszczyńska 180, 81-571 Gdynia, Poland, tel. +48 58 766 99 00

